

EMBARAZADOS

sin sífilis

A man and a pregnant woman are shown in a close embrace, smiling. The man is wearing a white sweater with red geometric patterns. The woman is wearing a black top and a denim jacket. They are standing outdoors in a garden-like setting with yellow flowers and a paved path.

**Evita el riesgo de transmitirle
la sífilis a tu bebé.
Si nos cuidamos, lo cuidamos**



ALCALDÍA MAYOR
DE BOGOTÁ D.C.

BOGOTÁ
MEJOR
PARA TODOS

SECRETARÍA DE SALUD

Hazte la prueba



ALCALDÍA MAYOR
DE BOGOTÁ D.C.

BOGOTÁ
MEJOR
PARA TODOS

SECRETARÍA DE SALUD

Siempre con condón



ALCALDIA MAYOR
DE BOGOTÁ D.C.

BOGOTÁ
MEJOR
PARA TODOS

SECRETARÍA DE SALUD

Control prenatal temprano



ALCALDÍA MAYOR
DE BOGOTÁ D.C.

BOGOTÁ
MEJOR
PARA TODOS

SECRETARÍA DE SALUD

**En Bogotá cada día se
diagnostica con sífilis
a 2 mujeres embarazadas.**

**La sífilis es una infección de transmisión
sexual que puede transferirse al bebé
durante el embarazo y causarle graves
problemas de salud, incluso
la muerte.**



ALCALDÍA MAJOR
DE BOGOTÁ D.C.

**BOGOTÁ
MEJOR
PARA TODOS**

SECRETARÍA DE SALUD



Puedes tener sífilis y no saberlo.

El condón es el único método que
disminuye el riesgo de una infección
de transmisión sexual.



Todas las mujeres embarazadas
deben hacerse la prueba de sífilis
en el primer control prenatal
y acudir a los siguientes
de manera oportuna.



**Si sospechas que tienes una
infección de transmisión sexual
consulta al médico de inmediato.**

Más información en:
www.saludcapital.gov.co



**BOGOTÁ
MEJOR
PARA TODOS**